International Journal of Research and Development in Applied Science and Engineering (IJRDASE)
ISSN: 2454-6844

Adaptive Resource Allocation in Cloud Computing

Manish Kumar Soni, Princee Katiyar
Bansal Institute of Engineering and Technology, AKTU, India

Abstract: Cloud computing has emerged as one of the most significant technological advancements in the field of information technology. It provides scalable, flexible, and cost-effective computing resources over the internet. Organizations across the world are adopting cloud platforms for storage, computing, networking, and software services. One of the most critical challenges in cloud computing is efficient resource allocation. Resource allocation refers to the process of assigning available cloud resources such as CPU, memory, bandwidth, and storage to various applications and users in an optimized manner. Proper resource allocation ensures high performance, reduced operational costs, improved utilization of resources, load balancing, and enhanced Quality of Service (QoS).

The rapid growth of cloud applications and increasing user demands have created the necessity for intelligent and dynamic resource allocation techniques. Traditional resource allocation methods are often insufficient due to the heterogeneous and dynamic nature of cloud environments. Therefore, advanced techniques such as virtualization, artificial intelligence, machine learning, heuristic algorithms, and energy-aware scheduling are increasingly being utilized.

This research paper focuses on the concept, architecture, techniques, challenges, and future trends of resource allocation in cloud computing. It examines various resource allocation algorithms and strategies used by cloud service providers. The study also highlights the importance of load balancing, virtualization, service level agreements, and energy efficiency in
cloud environments. Furthermore, the paper discusses the role of artificial intelligence and machine learning in improving resource allocation mechanisms.

The objective of this paper is to provide a comprehensive understanding of cloud computing resource allocation and its significance in modern computing systems. The study concludes that efficient resource allocation is essential for maximizing cloud performance, reducing energy consumption, and ensuring customer satisfaction.

Keywords: Cloud Computing, Resource Allocation, Virtualization, Load Balancing, Quality of Service, Energy Efficiency, Artificial Intelligence.

1. Introduction

Cloud computing is a modern computing paradigm that delivers computing services such as servers, storage, networking, databases, software, and analytics through the internet. The primary objective of cloud computing is to provide users with on-demand access to computing resources without requiring direct management of hardware and software infrastructure.

The increasing dependence on digital technologies has led to a massive demand for cloud services. Businesses, educational institutions, healthcare organizations, and government agencies rely heavily on cloud platforms for data storage, communication, and application hosting. As the number of cloud users increases, efficient management and allocation of resources become highly important.

Resource allocation in cloud computing refers to the distribution of available resources among multiple users and applications according to their requirements. Cloud resources include processing power, memory, bandwidth, storage, and virtual machines. Efficient allocation ensures that resources are utilized optimally while maintaining high system performance and minimizing operational costs.

Cloud computing environments are highly dynamic because workloads change continuously. Some applications require high computational power, while others require large storage or bandwidth. Therefore, cloud providers must adopt intelligent resource allocation strategies to meet varying demands.

Traditional computing systems generally use static allocation methods, which are inadequate for cloud environments. Modern cloud systems require dynamic and adaptive allocation techniques that can respond to real-time changes. Poor resource allocation can result in underutilization, overutilization, increased energy consumption, system failure, and reduced customer satisfaction.

Resource allocation is closely associated with virtualization technology. Virtualization allows multiple virtual machines to run on a single physical server. Through virtualization, cloud providers can allocate resources dynamically according to user demands.

This research paper aims to analyze the concept of cloud computing resource allocation, explore various allocation strategies, identify major challenges, and discuss emerging trends in this field.

2. Objectives of the Study

The main objectives of this research paper are:

1. To study the concept and importance of resource allocation in cloud computing.
2. To analyze different cloud computing models and architectures.
3. To examine various resource allocation techniques and algorithms.
4. To identify challenges associated with resource allocation.
5. To evaluate the role of virtualization and load balancing.
6. To study energy-efficient resource allocation mechanisms.
7. To understand the application of artificial intelligence and machine learning in cloud resource management.
8. To discuss future trends and developments in cloud computing resource allocation.

3. Research Methodology

The present study is based on secondary data collected from various academic journals, books, conference papers, research articles, websites, and technical reports related to cloud computing and resource allocation. Relevant literature

All Rights Reserved © 2026 IJRDASE

from IEEE, Springer, Elsevier, ACM Digital Library, and Google Scholar has been reviewed to understand current developments and challenges.

The research follows an analytical and descriptive approach. Different resource allocation methods, algorithms, and techniques are critically examined and compared based on their efficiency, scalability, performance, and energy consumption.

4. Concept of Cloud Computing

Cloud computing is a technology that provides shared computing resources over the internet. Users can access cloud services anytime and anywhere using internet-enabled devices.

The National Institute of Standards and Technology (NIST) defines cloud computing as a model for enabling convenient, on-demand network access to a shared pool of configurable computing resources.

4.1 Characteristics of Cloud Computing

4.1.1 On-Demand Self-Service

Users can access computing resources automatically without human interaction.

4.1.2 Broad Network Access

Cloud services are accessible through the internet using various devices such as computers, smartphones, and tablets.

4.1.3 Resource Pooling

Resources are shared among multiple users using a multi-tenant model.

4.1.4 Rapid Elasticity

Resources can be scaled up or down according to demand.

4.1.5 Measured Service

Cloud systems automatically monitor and optimize resource usage.

5. Cloud Service Models

Cloud computing services are generally categorized into three major models.

5.1 Infrastructure as a Service (IaaS)

IaaS provides virtualized computing resources such as servers, storage, and networking. Users can rent infrastructure instead of purchasing physical hardware.

Examples include:

- Amazon EC2
- Google Compute Engine
- Microsoft Azure

5.2 Platform as a Service (PaaS)

PaaS provides a platform for application development and deployment. Developers can create applications without managing hardware and operating systems.

Examples include:

- Google App Engine
- Microsoft Azure App Services
- Heroku

5.3 Software as a Service (SaaS)

SaaS provides software applications over the internet. Users can access applications through web browsers.

Examples include:

- Gmail
- Microsoft Office 365
- Salesforce

6. Deployment Models of Cloud Computing

6.1 Public Cloud

Public cloud services are provided over the public internet and shared among multiple users.

6.2 Private Cloud

Private cloud infrastructure is dedicated to a single organization.

6.3 Hybrid Cloud

Hybrid cloud combines public and private cloud environments.

6.4 Community Cloud

Community cloud is shared among organizations with common objectives.

7. Resource Allocation in Cloud Computing

Resource allocation is one of the most critical functions in cloud computing environments. It involves assigning available resources to users and applications based on their requirements.

Cloud resources include:

- CPU
- Memory
- Storage
- Bandwidth
- Virtual Machines
- Network Resources

The main objective of resource allocation is to maximize resource utilization while minimizing operational costs and maintaining service quality.

7.1 Importance of Resource Allocation

Efficient resource allocation provides several benefits:

1. Improved system performance
2. Better resource utilization
3. Reduced operational costs
4. Enhanced customer satisfaction
5. Energy conservation
6. Load balancing
7. Reduced response time
8. Increased scalability

8. Types of Resource Allocation

8.1 Static Resource Allocation

In static allocation, resources are assigned permanently before execution. This method is simple but lacks flexibility.

Advantages

- Easy implementation
- Predictable performance Disadvantages
- Poor scalability
- Resource wastage

All Rights Reserved © 2026 IJRDASE

- Inability to adapt to workload changes

8.2 Dynamic Resource Allocation

Dynamic allocation adjusts resources according to workload changes in real time. Advantages

- Better resource utilization
- Improved scalability
- Flexibility Disadvantages
- Complex implementation
- Higher overhead

9. Resource Allocation Architecture

The architecture of cloud resource allocation consists of several components:

9.1 Resource Manager

The resource manager monitors and allocates resources according to demand.

9.2 Scheduler

The scheduler decides which tasks should be assigned to which resources.

9.3 Load Balancer

The load balancer distributes workloads evenly among available servers.

9.4 Virtual Machine Monitor

This component manages virtual machines and virtualization processes.

9.5 Service Level Agreement Manager

The SLA manager ensures that agreed service standards are maintained.

10. Virtualization in Resource Allocation

Virtualization is the foundation of cloud computing. It allows multiple virtual machines to run on a single physical server.

10.1 Types of Virtualization

10.1.1 Server Virtualization

Physical servers are divided into multiple virtual servers.

10.1.2 Storage Virtualization

Multiple storage devices are combined into a single storage system.

10.1.3 Network Virtualization

Network resources are abstracted into virtual networks.

10.1.4 Desktop Virtualization

Desktop environments are hosted on centralized servers.

10.2 Advantages of Virtualization

1. Better resource utilization
2. Reduced hardware costs
3. Increased flexibility
4. Simplified management
5. Energy savings
6. Scalability

11. Load Balancing in Cloud Computing

Load balancing is a process of distributing workloads across multiple servers to ensure efficient resource utilization.

11.1 Objectives of Load Balancing

1. Minimize response time
2. Prevent server overload
3. Improve system reliability
4. Maximize throughput
5. Ensure fault tolerance

11.2 Types of Load Balancing Algorithms

11.2.1 Round Robin Algorithm

Tasks are assigned sequentially to servers.

11.2.2 Weighted Round Robin

Servers with higher capacity receive more tasks.

11.2.3 Least Connection Algorithm

Tasks are assigned to the server with the fewest active connections.

11.2.4 Throttled Load Balancing

Limits the number of tasks assigned to each virtual machine.

11.2.5 Active Monitoring Load Balancer

Continuously monitors server status before assigning tasks.

12. Resource Scheduling Techniques

Scheduling determines how tasks are assigned to cloud resources.

12.1 First Come First Serve (FCFS) Tasks are executed in the order of arrival.

Advantages

- Simple implementation Disadvantages
- Long waiting time

12.2 Shortest Job First (SJF)

Tasks with the shortest execution time are prioritized.

12.3 Priority Scheduling

Tasks are assigned according to priority levels.

12.4 Min-Min Algorithm

The task with the minimum completion time is selected first.

12.5 Max-Min Algorithm

Large tasks are assigned first to reduce waiting time.

12.6 Genetic Algorithm

Uses evolutionary techniques for optimization.

12.7 Ant Colony Optimization

Inspired by the behavior of ants in finding shortest paths.

12.8 Particle Swarm Optimization

Inspired by the movement of birds and fish.

13. Quality of Service (QoS)

Quality of Service refers to the performance level guaranteed by cloud providers.

All Rights Reserved © 2026 IJRDASE

13.1 QoS Parameters
1. Response Time
2. Throughput
3. Availability
4. Reliability
5. Scalability
6. Security
7. Energy Efficiency

Efficient resource allocation is essential for maintaining QoS.

14. Service Level Agreement (SLA)
A Service Level Agreement is a contract between the cloud provider and the customer.

14.1 Components of SLA
1. Availability
2. Performance
3. Security
4. Response Time

5. Compensation Policies
Resource allocation mechanisms must ensure compliance with SLA requirements.

15. Energy-Efficient Resource Allocation

Cloud data centers consume a large amount of electrical energy. Energy-efficient resource allocation aims to reduce power consumption while maintaining performance.

15.1 Importance of Energy Efficiency
1. Reduced operational costs
2. Environmental sustainability
3. Lower carbon emissions
4. Improved data center efficiency

15.2 Energy-Aware Techniques
15.2.1 Dynamic Voltage and Frequency Scaling (DVFS) Adjusts processor voltage and frequency according to workload.

15.2.2 Server Consolidation
Combines workloads on fewer servers to reduce energy consumption.

15.2.3 VM Migration
Moves virtual machines between servers to optimize utilization.

15.2.4 Power-Aware Scheduling Schedules tasks to minimize energy usage.

16. Challenges in Cloud Resource Allocation
Despite significant advancements, resource allocation in cloud computing faces several challenges.

16.1 Dynamic Workloads
Cloud workloads change rapidly, making resource prediction difficult.

16.2 Resource Heterogeneity
Cloud environments consist of different hardware and software configurations.

16.3 Scalability Issues
Managing resources for millions of users is challenging.

16.4 Security and Privacy
Protecting user data during resource sharing is critical.

16.5 SLA Violations
Improper allocation can lead to failure in meeting service agreements.

16.6 Energy Consumption
Large-scale data centers consume massive amounts of power.

16.7 Fault Tolerance
System failures can disrupt cloud services.

16.8 Network Congestion
Heavy traffic can reduce performance.

17. Artificial Intelligence in Resource Allocation
Artificial Intelligence (AI) is increasingly being used to improve cloud resource management.

17.1 Machine Learning Techniques
Machine learning algorithms analyze historical data and predict future resource demands. Applications
- Workload prediction
- VM placement
- Energy optimization
- Fault detection

17.2 Deep Learning
Deep learning models can process complex cloud data for intelligent decision-making.

17.3 Reinforcement Learning
Reinforcement learning enables systems to learn optimal allocation strategies through trial and error.

17.4 Fuzzy Logic
Fuzzy logic handles uncertainty in cloud environments.

18. Resource Allocation Algorithms
Several algorithms are used for cloud resource allocation.

18.1 Heuristic Algorithms
Heuristic methods provide approximate solutions quickly. Examples
- Greedy Algorithm
- Hill Climbing
- Simulated Annealing

18.2 Metaheuristic Algorithms
Metaheuristic methods provide near-optimal solutions. Examples

All Rights Reserved © 2026 IJRDASE

- Genetic Algorithm
- Ant Colony Optimization
- Particle Swarm Optimization
- Bee Colony Algorithm

18.3 Hybrid Algorithms
Hybrid methods combine multiple techniques for better performance.

19. CloudSim and Simulation Tools
Simulation tools are used to evaluate cloud resource allocation techniques.

19.1 CloudSim
CloudSim is a widely used simulation framework for modeling cloud environments. Features
- VM simulation
- Resource provisioning
- Energy modeling
- Data center simulation

19.2 GreenCloud
Used for energy-aware cloud simulation.

19.3 iCanCloud
Supports large-scale cloud simulations.

19.4 NetworkCloudSim
Focuses on network-intensive applications.

20. Resource Provisioning in Cloud Computing
Resource provisioning refers to the process of preparing and allocating resources to applications.

20.1 Types of Provisioning
20.1.1 Advance Provisioning
Resources are allocated before demand occurs.

20.1.2 Dynamic Provisioning Resources are allocated in real time.
20.1.3 Self-Provisioning
Users allocate resources automatically.

21. Security Issues in Resource Allocation
Security is a major concern in cloud computing.

21.1 Data Security
Sensitive information must be protected from unauthorized access.

21.2 VM Isolation
Virtual machines must remain isolated to prevent attacks.

21.3 Insider Threats
Employees with privileged access may misuse resources.

21.4 Distributed Denial of Service (DDoS) Attackers may overload cloud resources.
21.5 Encryption Techniques
Encryption protects data during transmission and storage.

22. Multi-Cloud and Edge Computing
Modern computing environments increasingly use multi-cloud and edge computing architectures.

22.1 Multi-Cloud Computing
Organizations use services from multiple cloud providers. Advantages
- Reduced dependency on a single provider
- Improved reliability
- Better performance

22.2 Edge Computing
Edge computing processes data closer to users. Benefits
- Reduced latency
- Faster processing
- Lower bandwidth usage

Resource allocation in edge environments requires intelligent scheduling and coordination.

23. Comparative Analysis of Resource Allocation Techniques

Technique	Advantages	Limitations
Static Allocation	Simple implementation	Low flexibility
Dynamic Allocation	Better utilization	High complexity
Heuristic Algorithms	Fast execution	Approximate solutions
Metaheuristic Algorithms	Near-optimal results	Computational overhead
AI-Based Allocation	Intelligent decisions	Requires training data
Energy-Aware Methods	Reduced power consumption	Complex management

24. Applications of Cloud Resource Allocation
Resource allocation plays a vital role in various cloud applications.

24.1 Healthcare
Cloud systems store medical records and support telemedicine.

24.2 Education
Online learning platforms use cloud resources for scalability.

24.3 Banking and Finance
Cloud services support secure transactions and analytics.

24.4 E-Commerce
Resource allocation ensures uninterrupted online shopping services.

24.5 Scientific Research
High-performance computing resources are used for simulations and data analysis.

24.6 Internet of Things (IoT)

All Rights Reserved © 2026 IJRDASE

IoT devices generate large amounts of data requiring efficient cloud resource management.

25. Advantages of Efficient Resource Allocation

1. Increased productivity
2. Reduced infrastructure costs
3. Improved customer satisfaction
4. Better scalability
5. Reduced downtime
6. Enhanced performance
7. Efficient energy utilization
8. Faster response time
9. Improved reliability
10. Better fault tolerance

26. Limitations of Current Resource Allocation Methods

1. Complexity in large-scale environments
2. Security vulnerabilities
3. High implementation costs
4. Difficulty in workload prediction
5. Energy management challenges
6. SLA compliance issues
7. Network dependency

27. Future Trends in Cloud Resource Allocation

Cloud computing continues to evolve rapidly.

27.1 AI-Driven Resource Management
AI will automate decision-making processes.

27.2 Serverless Computing
Serverless architectures reduce infrastructure management complexity.

27.3 Quantum Computing Integration
Quantum computing may revolutionize cloud resource optimization.

27.4 Green Cloud Computing
Future systems will focus on environmentally sustainable computing.

27.5 Edge and Fog Computing
Resource allocation will increasingly support decentralized architectures.

27.6 Blockchain-Based Resource Management Blockchain can improve transparency and security.

28. Findings of the Study

The study reveals the following findings:

1. Resource allocation is a fundamental component of cloud computing.
2. Dynamic allocation methods are more efficient than static methods.
3. Virtualization significantly improves resource utilization.
4. Load balancing is essential for maintaining system stability.
5. AI and machine learning improve prediction and optimization.
6. Energy-efficient techniques reduce operational costs.
7. Security remains a major challenge in cloud environments.
8. Hybrid and metaheuristic algorithms provide better optimization.
9. SLA management is necessary for customer satisfaction.
10. Future cloud systems will rely heavily on intelligent automation.

29. Suggestions

1. Cloud providers should adopt AI-based resource allocation systems.
2. Organizations should implement energy-efficient data center practices.
3. Improved security mechanisms should be integrated into cloud architectures.
4. More research should be conducted on hybrid allocation algorithms.
5. SLA monitoring systems should be enhanced.
6. Edge computing resource management should be prioritized.
7. Cloud providers should focus on green computing technologies.
8. Advanced load balancing techniques should be implemented.
9. Real-time monitoring tools should be developed.
10. Government and academic institutions should encourage cloud research initiatives.

30. Conclusion:

Cloud computing has transformed the modern technological landscape by providing scalable, flexible, and cost-effective computing services. Resource allocation is one of the most critical aspects of cloud computing because it directly affects system performance, energy consumption, cost efficiency, and user satisfaction.

The increasing complexity of cloud environments has created a need for intelligent and adaptive resource allocation techniques. Traditional allocation methods are no longer sufficient to handle dynamic workloads and heterogeneous resources. Therefore, modern cloud systems are increasingly adopting virtualization, load balancing, heuristic optimization, artificial intelligence, and machine learning approaches.

Efficient resource allocation ensures better utilization of computing resources, improved Quality of Service, reduced operational costs, and enhanced scalability. Energy-efficient allocation methods are also becoming increasingly important due to growing environmental concerns and high energy consumption in data centers.

Despite significant advancements, several challenges remain, including security issues, SLA violations, workload prediction, and network congestion. Future research should focus on AI-driven optimization, blockchain integration, edge computing, and green cloud technologies.

In conclusion, resource allocation is the backbone of cloud computing infrastructure. Effective resource management strategies will continue to play a vital role in the development

All Rights Reserved © 2026 IJRDASE

of reliable, sustainable, and intelligent cloud systems in the future.

References

1. Buyya, R., Broberg, J., & Goscinski, A. (2011). Cloud Computing: Principles and Paradigms. Wiley Publications.
2. Armbrust, M., Fox, A., Griffith, R., et al. (2010). A view of cloud computing. Communications of the ACM, 53(4), 50–58.
3. Mell, P., & Grance, T. (2011). The NIST Definition of Cloud Computing. National Institute of Standards and Technology.
4. Zhang, Q., Cheng, L., & Boutaba, R. (2010). Cloud computing: State-of-the-art and research challenges. Journal of Internet Services and Applications, 1(1), 7–18.
5. Beloglazov, A., & Buyya, R. (2012). Optimal online deterministic algorithms and adaptive heuristics for energy and performance efficient dynamic consolidation of virtual machines. Future Generation Computer Systems, 28(5), 755–768.
6. Calheiros, R. N., Ranjan, R., Beloglazov, A., et al. (2011). CloudSim: A toolkit for modeling and simulation of cloud computing environments. Software: Practice and Experience, 41(1), 23–50.
7. Foster, I., Zhao, Y., Raicu, I., & Lu, S. (2008). Cloud computing and grid computing.
Grid Computing Environments Workshop, 1–10.
8. Jain, R., & Paul, S. (2013). Network virtualization and software defined networking for cloud computing. IEEE Communications Magazine, 51(11), 24–31.
9. Garg, S. K., Versteeg, S., & Buyya, R. (2013). A framework for ranking cloud computing services. Future Generation Computer Systems, 29(4), 1012–1023.
10. Singh, S., & Chana, I. (2016). QoS-aware autonomic resource management in cloud computing. ACM Computing Surveys, 48(3), 1–46.
11. Sharma, U., Shenoy, P., Sahu, S., & Shaikh, A. (2011). A cost-aware elasticity provisioning system for cloud applications. IEEE Distributed Computing Systems, 559–570.
12. Lorido-Botran, T., Miguel-Alonso, J., & Lozano, J. A. (2014). A review of auto-scaling techniques for elastic applications in cloud environments. Journal of Grid Computing, 12(4), 559–592.
13. Kumar, K., & Lu, Y. H. (2010). Cloud computing for mobile users. Computer, 43(4), 51–56.
14. Rao, R. V., & Patel, V. (2013). Multi-objective optimization of cloud resource allocation.
International Journal of Computer Applications, 67(10), 25–31.
15. Patel, A., Taghavi, M., Bakhtiyari, K., & Juarez, M. (2013). An intrusion detection and prevention system in cloud computing. Journal of Supercomputing, 69(3), 164–180.
16. Wood, T., Shenoy, P., Venkataramani, A., & Yousif, M. (2009). Black-box and gray-box strategies for virtual machine migration. NSDI Conference Proceedings, 17–17.
17. Hwang, K., Dongarra, J., & Fox, G. (2013). Distributed and Cloud Computing. Morgan Kaufmann.
18. Khan, A. N., Kiah, M. L. M., Madani, S. A., et al. (2012). Enhanced dynamic resource allocation in cloud computing. Journal of Supercomputing, 65(1), 216–229.
19. Sotomayor, B., Montero, R. S., Llorente, I. M., & Foster, I. (2009). Virtual infrastructure management in private and hybrid clouds. IEEE Internet Computing, 13(5), 14–22.
20. Subashini, S., & Kavitha, V. (2011). A survey on security issues in service delivery models of cloud computing. Journal of Network and Computer Applications, 34(1), 1–11.
21. Buyya, R., Yeo, C. S., Venugopal, S., et al. (2009). Cloud computing and emerging IT platforms. Future Generation Computer Systems, 25(6), 599–616.
22. Goyal, S. (2014). Public vs private vs hybrid vs community cloud computing.
International Journal of Computer Network and Information Security, 6(3), 20–29.
23. Jennings, B., & Stadler, R. (2015). Resource management in clouds: Survey and research challenges. Journal of Network and Systems Management, 23(3), 567–619.
24. Islam, S., Keung, J., Lee, K., & Liu, A. (2012). Empirical prediction models for adaptive resource provisioning. Future Generation Computer Systems, 28(1), 155–162.
25. Kliazovich, D., Bouvry, P., & Khan, S. U. (2010). GreenCloud: A packet-level simulator of energy-aware cloud computing data centers. Journal of Supercomputing, 62(3), 1263–1283.
26. Verma, A., Ahuja, P., & Neogi, A. (2008). Power-aware dynamic placement of HPC applications. ICS Conference Proceedings, 175–184.
27. Sharma, B., Chudnovsky, V., Hellerstein, J., et al. (2011). Modeling and synthesizing task placement constraints in Google compute clusters. SOCC Conference Proceedings, 1–14.
28. Xiao, Z., Song, W., & Chen, Q. (2013). Dynamic resource allocation using virtual machines. IEEE Transactions on Parallel and Distributed Systems, 24(6), 1107–1117.
29. Li, K., Xu, G., Zhao, G., et al. (2011). Cloud task scheduling based on load balancing.
IEEE International Conference on Computational Intelligence and Security, 3–8.
30. Rimal, B. P., Choi, E., & Lumb, I. (2009). A taxonomy and survey of cloud computing systems. International Joint Conference on INC, IMS and IDC, 44–51.

All Rights Reserved © 2026 IJRDASE